

W1

Spring Clip

Zinc-plated mild steel

Spring Clip **AML W1**

Information	Nominal diameter Ø	Reference W1	Ø di	b	a ± 0,05	s	Box Quantity	Packing
Spring clips are designed to distribute pressure uniformly around the application zone. Their use is recommended when the hose is subject to rapid changes in temperature which cause expansion and contraction of the materials used in the assembly. The spring clip maintains pressure during this process, thereby preventing leaks.	6	02014025	5,5 ^{±0,1}	7	3	0,5	500	8000
	7	02014033	6,4 ^{±0,1}	7	3	0,5	500	8000
	8	02014041	7,4 ^{±0,15}	8	3	0,6	500	8000
	9	02014050	8,4 ^{±0,15}	8	3,5	0,6	500	4000
	10	02014068	9,3 ^{±0,2}	8	3,5	0,7	500	4000
	11	02014076	10,3 ^{±0,2}	8	4	0,7	500	4000
	12	02014084	11,1 ^{±0,2}	8	4	0,7	500	4000
	14	02014092	12,9 ^{±0,2}	8	4	0,8	500	4000
	15	02014105	13,5 ^{±0,2}	8	4,5	0,8	500	4000
	17	02014113	15,6 ^{±0,2}	8	4,5	0,8	500	4000
	20	02014121	18,4 ^{±0,4}	8	3,2	0,8	500	4000

W1 Materials

Band:
Spring steel

Finish:
Silver-white
Cr3 Zinc-Plated

